Valid 11/2002 - 01/2003

RdH Laborchemikalien GmbH & Co. KG P.O.Box 10 02 62, D-30918 Seelze, Germany Tel: +49-(0)5137-999 0 Fax +49-(0)5137-999 RNWS-(0)5137-999 RNWS-(0)5137-999 RR3 Td /D

```
MECHANICAL EXHAUST REQUIRED.
   DO NOT BREATHE DUST.
   AVOID CONTACT WITH EYES, SKIN AND CLOTHING.
   AVOID PROLONGED OR REPEATED EXPOSURE.
   NIOSH/MSHA-APPROVED RESPIRATOR.
   COMPATIBLE CHEMICAL-RESISTANT GLOVES.
   CHEMICAL SAFETY GOGGLES.
   KEEP TIGHTLY CLOSED.
    STORE IN A COOL DRY PLACE.
    WASH THOROUGHLY AFTER HANDLING.
   WASH CONTAMINATED CLOTHING BEFORE REUSE.
SECTION 9. - - - - - PHYSICAL AND CHEMICAL PROPERTIES - - - - -
 APPEARANCE AND ODOR
   SOLID.
  PHYSICAL PROPERTIES
   MELTING POINT:
                      144 - 150 C
    SOLUBILITY:
          WATER -Z1076
                        0 C
   FREEZING POINT:
SECTION 10. - - - - - - - - - STABILITY AND REACTIVITY - - - - - - -
  STABILITY
    STABLE.
  INCOMPATIBILITIES
   OXIDIZING AGENTS
 HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS
```

CONTACT SIGMA CHEMICAL COMPANY FOR TRANSPORTATION INFORMATION. SECTION 15. - - - - - - REGULATORY INFORMATION - - - - -EUROPEAN INFORMATION HARMFUL R 22 HARMFUL IF SWALLOWED. R 41 RISK OF SERIOUS DAMAGE TO EYES. S 26 IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. S 36/37/39 WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION. REVIEWS, STANDARDS, AND REGULATIONS OEL=MAK NOES 1983: HZD X2442; NIS 1; TNF 6; NOS 1; TNE 112; TFE 41 EPA TSCA TEST SUBMISSION (TSCATS) DATA BASE, JANUARY 2001 SECTION 16. - - - - - - - OTHER INFORMATION - - - - - - - - - -THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SIGMA, ALDRICH, FLUKA SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. SEE REVERSE SIDE OF INVOICE OR PACKING SLIP FOR ADDITIONAL TERMS AND CONDITIONS OF SALE. COPYRIGHT 2001 SIGMA-ALDRICH CO. LICENSE GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY