MATERIAL SAFETY DATA SHEET

SECTION I PRODUCT IDENTIFICATION AND USE

MANUFACTURER:

BDH INC. EMERGENCY TELEPHONE NO.:

350 EVANS AVENUE 416-201-6383 (24 HR.)

TORONTO INFORMATION TELEPHONE NO.:

ONTARIO 416-255-8521 (0830-1630)

M8Z 1K5

PRODUCT NAME: SCHIFF'S REAGENT

PRODUCT CODE(S): R01299, VW3460

CHEMICAL NAME/OTHER NAME: SCHIFF'S REAGENT FOR FORMALDEHYDE; SCHIFF'S REAGENT

FOR PAS

CHEMICAL FORMULA: C20H19N3.HCL, NA2S2O5, H2O, HCL

CHEMICAL FAMILY: MIXTURE

TDG SHIPPING NAME/UN: NOT REGULATED

TDG CLASSIFICATION/PACKING GROUP: NOT REGULATED

USE: LABORATORY REAGENT

SECTION II HAZARDOUS INGREDIENTS

CHEMICAL NAME CAS NO. LD50

HYDROCHLORIC ACID 7647-01-0 900 MG/KG (ORL-RBT) 0.1-1.0

SODIUM METABISULPHITE 7681-57-4 115 MG/KG (IVR-RAT) 0.1-1.0

SECTION III PHYSICAL DATA

PHYSICAL STATE: LIQUID

APPEARANCE AND ODOUR: CLEAR LIQUID

ODOUR THRESHOLD: NOT AVAILABLE

SPECIFIC GRAVITY: APPROXIMATELY 1.0

VAPOUR PRESSURE: NOT AVAILABLE

VAPOUR DENSITY: NOT AVAILABLE

EVAPORATION RATE: NOT AVAILABLE

BOILING POINT: APPROXIMATELY 100 C

FREEZING POINT: APPROXIMATELY OOC

PH: NOT AVAILABLE

COEFFICIENT OF WATER/OIL DISTRIBUTION: NOT AVAILABLE

SECTION IV FIRE OR EXPLOSION HAZARD

CONDITIONS OF FLAMMABILITY: NONCOMBUSTIBLE			
EXTINGUISHING MEDIA: USE AN EXTINGUISHER APPROPR	RIATE TO THE SU	JRROUNDING	
MATERIAL THAT IS BURNING			
FLASH POINT / METHOD: NOT APPLICABLE			
(REFER TO LAST PAGE FOR DISCLAIMER)	R01299	PAGE:	1
JEL: NOT APPLICABLE			
LEL: NOT APPLICABLE			
AUTOIGNITION TEMPERATURE: NOT APPLICABLE			
HAZARDOUS COMBUSTION PRODUCTS: COX, SOX			
EXPLOSION DATA - SENSITIVITY TO MECHANICAL IMPAC	CT: NO		
- SENSITIVITY TO STATIC DISCHARGE	: NO		
SECTION V REACTIVITY D	DATA		

CONDITIONS OF INSTABILITY: NORMALLY STABLE, DISCARD PRODUCT IF IT BECOMES

DISCOLOURED

INCOMPATIBILITIES: SODIUM NITRATE, METALS

CONDITIONS OF REACTIL Er5AtLw

CARCINOGENICITY: NO INFORMATION AVAILABLE

REPRODUCTIVE TOXICITY: NO INFORMATION AVAILABLE

TERATOGENICITY: MAY CAUSE TERATOGENIC EFFECTS, REFERENCES CITED: RTECS#

MW025000 (HCL)

MUTAGENICITY: NO INFORMATION AVAILABLE

TOXICOLOGICALLY SYNERGISTIC PRODUCTS: NONE FOUND

SECTION VII FIRST AID MEASURES

SKIN: FLUSH THE CONTACT AREA WITH LUKEWARM RUNNING WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING, TAKING CARE NOT TO SPREAD THE CHEMICAL.

IF CONTAMINATION IS EXTENSIVE, REMOVE CLOTHING UNDER RUNNING WATER. DISCARD OR

DECONTAMINATE CLOTHING UNDER RUNNING WATER. DISCARD OR DECONTAMINATE CLOTHING

BEFORE USE. UNLESS CONTACT HAS BEEN SLIGHT, SEEK MEDICAL ATTENTION. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.

EYE: FLUSH THE CONTAMINATED EYE(S) FOR AT LEAST 15 MINUTES WITH LUKEWARM

(REFER TO LAST PAGE FOR DISCLAIMER)

R01299 PAGE: 2

RUNNING WATER, HOLDING THE EYELIDS OPEN. TAKE CARE NOT TO RINSE CONTAMINATED WATER INTO THE NON-AFFECTED EYE. ALWAYS SEEK MEDICAL ATTENTION FOR ACCIDENTS INVOLVING THE EYES.

INHALATION: TAKE PROPER PRECAUTIONS TO ENSURE YOUR OWN SAFETY BEFORE

ATTEMPTING RESCUE. REMOVE SOURCE OF CONTAMINATION OR MOVE VICTIM TO FRESH AIR.

IF

BREATHING HAS STOPPED, TRAINED PERSONNEL SHOULD BEGIN ARTIFICIAL RESPIRATION,

OR IF THE HEART HAS STOPPED, CARDIOPULMONARY RESUSCITATION (CPR) IMMEDIATELY.

SEEK MEDICAL ATTENTION.

INGESTION: NEVER GIVE ANYTHING BY MOUTH IF VICTIM IS RAPIDLY LOSING

CONSCIOUSNESS, OR IS UNCONSCIOUS OR CONVULSING. RINSE MOUTH THOROUGHLY WITH

WATER. DO NOT INDUCE VOMITING. HAVE VICTIM DRINK 200-400 ML OF WATER TO

DILUTE. IF BREATHING HAS STOPPED, TRAINED PERSONNEL SHOULD BEGIN ARTIFICIAL

RESPIRATION,

SECTION VIII PREVENTIVE MEASURES

ENGINEERING CONTROLS: ENGINEERING CONTROL METHODS TO REDUCE HAZARDOUS

EXPOSURES ARE PREFERRED. METHODS INCLUDE MECHANICAL VENTILATION (DILUTION AND

LOCAL

EXHAUST), PROCESS OR PERSONNEL ENCLOSURE, CONTROL OF PROCESS CONDITIONS, AND PROCESS MODIFICATION. ADMINISTRATIVE CONTROLS AND PERSONAL PROTECTIVE EQUIPMENT MAY ALSO BE REQUIRED.

PERSONAL PROTECTIVE EQUIPMENT:

- -GLOVES: RUBBER OR PLASTIC
- -RESPIRATORY PROTECTION: FUME HOOD AS APPROPRIATE
- -EYE PROTECTION: CHEMICAL SAFETY GOGGLES OR FACE SHIELD
- -CLOTHING: PLASTIC APRON, SLEEVES, AND BOOTS AS APPROPRIATE

STORAGE REQUIREMENTS: STORE IN SUITABLE LABELLED CONTAINERS. KEEP CONTAINERS
TIGHTLY CLOSED WHEN NOT IN USE AND WHEN EMPTY. PROTECT FROM DAMAGE. STORE IN

COOL, DRY, WELL-VENTILATED AREA, OUT OF DIRECT SUNLIGHT. STORE AWAY FROM INCOMPATIBLE MATERIALS.

HANDLING PROCEDURES AND EQUIPMENT: AVOID GENERATING MIST. FOLLOW ROUTINE SAFE

HANDLING PROCEDURES.

LEAK OR SPILL CLEAN-UP: BEFORE DEALING WITH SPILLAGES TAKE NECESSARY

PROTECTIVE MEASURES, INFORM OTHERS TO KEEP AT A SAFE DISTANCE AND, FOR
FLAMMABLE

MATERIALS, SHUT OFF ALL POSSIBLE SOURCES OF IGNITION. TRANSFER TO CONTAINER

AND ARRANGE REMOVAL BY DISPOSAL COMPANY. WASH SITE OF SPILLAGE THOROUGHLY

WITH

WATER AND DETERGENT.

DISPOSAL: FOLLOW ALL FEDERAL, PROVINCIAL AND LOCAL REGULATIONS FOR DISPOSAL.

USE ONLY LICENSED DISPOSAL AND WASTE HAULING COMPANIES. DISPOSAL OF SMALL
AMOUNTSF SPILLED MATERIAL MAY BE HANDLED AS DESCRIBED UNDER "LEAK OR SPILL

(REFER TO LAST PAGE FOR DISCLAIMER) R01299 PAGE: 3

CLEANUP". LARGE SPILLS MUST BE DEALT WITH SEPARATELY AND MUST BE HANDLED BY QUALIFIED DISPOSAL COMPANIES.

SPECIAL SHIPPING INFORMATION: FOLLOW ALL TDG REGULATIONS AND SEE

CLASSIFICATION IN SECTION I

SECTION IX PREPARATION INFORMATION

PREPARED BY: TECHNICAL AFFAIRS DEPARTMENT, BDH INC.,

TORONTO, ONTARIO

(416)255-8521

DATE: NOV 9, 1988

REVISION DATE: MAR 8, 1989; MAY 30, 1989; JULY 15, 1994; APR 24, 1995

WHMIS CLASSIFICATION: D2B

* MAY BE	IRRITATING TO	SKIN, EYE	S AND MU	COUS MEMBE	RANES	
********	* * * * * * * * * * * * *	*****	******	*****	* * * * * * * * * * *	****
POTEI	NTIAL HEALTH E	FFECTS (AC	CUTE & CH	RONIC)		
SYMPTOMS OF EXPOSURE	: MAY CAUSE IR	RITATION C	ON CONTAC	T WITH THE	E SKIN, EYE	ES OR
MUCOUS MEMBRANES.						
MEDICAL CONDITION AGO	GRAVATED BY EX	POSURE: NC	NE IDENT	'IFIED		
ROUTES OF ENTRY: INHA	ALATION, INGES	TION				
CARCINOGENICITY: THIS	S MATERIAL IS	NOT LISTED	(IARC,	NTP, OSHA) AS A CANO	CER
CAUSING AGENT.						
(REFER TO LAST PAGE I	FOR DISCLAIMER	.)		VW3460	PAGE:	1

SECTION IV FIRST AID MEASURES

EYE: IN CASE OF EYE CONTACT, FLUSH WITH PLENTY OF WATER FOR AT LEAST

MINUTES WHILE HOLDING THE EYELIDS OPEN. HAVE EYES EXAMINED BY

MEDICAL PERSONNEL.

SKIN: IN CASE OF SKIN CONTACT, WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS OR PERSISTS.

RELEASES. REFER TO REGULATORY INFORMATION FOR RE	EPORTABLE QUANT	CITY AND O	THER
REGULATORY DATA.			
SECTION VII HANDLING & ST	FORAGE		
(REFER TO LAST PAGE FOR DISCLAIMER)	VW3460	PAGE:	2
HANDLING & STORAGE: STORE IN A COOL, DRY AREA AW	NAY FROM METALS	S. KEEP	
CONTAINER CLOSED. DO NOT BREATHE SOLUTION MIST.			
SECTION VIII EXPOSURE CONTROLS/PER	RSONAL PROTECTI	ION	
ENGINEERING CONTROLS: ENGINEERING AND/OR ADMINIS	STRATIVE CONTRO	OLS SHOULD	BE

PERSONAL PROTECTIVE EQUIPMENT

GLOVES: NEOPRENE, PVC OR EQUIVALENT

RESPIRATORY PROTECTION: FUME HOOD AS APPROPRIATEr6:X*E SAFETY ASSES

S IX P

PHYSICTj STORY: LI D

RESEARANCY: CLEAR LI D

PH: NOT AVAILABLE			
SOLUBILITY IN WATER: SOLUBLE			
OCTANOL/WATER PARTITION COEFFICIENT: NOT AVAILABLE			
PER CENT VOLATILE BY VOL (%): NOT AVAILABLE			
MOLECULAR WEIGHT: THIS PRODUCT IS A DILUTE AQUEOUS SO	DLUTION		
SECTION X STABILITY & REACTIVE	ГҮ		
CHEMICAL STABILITY: NORMALLY STABLE			
CONDITIONS TO AVOID: HEAT			
MATERIALS TO AVOID: BASES, POWDERED METALS			
HAZARDOUS POLYMERIZATION: DOES NOT OCCUR			
HAZARDOUS DECOMPOSITION PRODUCTS: NONE			
		. – – – – – -	
SECTION XI TOXICOLOGICAL INFORMAT	ΓΙΟΝ		
(REFER TO LAST PAGE FOR DISCLAIMER)	/W3460	PAGE:	3

SODIUM METABISULFI	ГЕ –	-	-	
BASIC FUCHSIN	-	-	-	
WATER	-	-	-	
COMPONENT		ST SARA 3		
(REFER TO LAST PAGE			PAGE:	
HYDROCHLORIC ACID	Y	Y	1.0	
SODIUM METABISULFI	ГЕ Ү	-	-	
BASIC FUCHSIN	-	-	-	
WATER	-	-	-	

SECTION XV OTHER INFORMATION

NFPA HAZARD RATINGS (0-4)

HEALTH: 1 FLAMMABILITY: 0 REACTIVITY:

0

NFPA SPECIAL WARNINGS: NONE

PREPARATION DATE: OCTOBER 22, 1993

REVISION HISTORY: OCTOBER 22, 1993

COMMENTS: NONE

PREPARED BY: TECHNICAL AFFAIRS DEPARTMENT, BDH INC.,

TORONTO, ONTARIO, CANADA

(416) 255-8521



AND ARE BASED UPON TECHNICAL DATA THAT BDH INC BELIEVES TO BE ACCURATE.

IT IS INTENDED FOR USE ONLY BY PERSONS HAVING THE NECESSARY TECHNICAL SKILLS AND AT THEIR OWN DISCRETION AND RISK. SINCE CONDITIONS AND MANNER OF USE ARE OUTSIDE OUR CONTROL, WE MAKE NO WARRANTY, EXPRESS OR IMPLIED OF MERCHANTABILITY, FITNESS OR OTHERWISE.

COPYRIGHT BDH, 1997

VW3460 PAGE:

5